

Single Field Analysis


Eye: Left

Name: LANGSTANG,	ID: 1009649	DOB: 12/1/1956
------------------	-------------	----------------

Central 24-2 Threshold Test

Fixation Monitor: Gaze/Blindspot Stimulus: Ill, White Pupil Diameter: 4.50 mm Test Date: 11/12/2008
 Fixation Target: Central Background: 31.5 asb Visual Acuity: 1.00 Test Time: 12:49:32 PM
 Fixation Losses: 0/12 Strategy: SITA Standard Rx: +2.50 DS DC X ° Test Duration: 04:34
 False Pos Errors: 1% Age: 51
 False Neg Errors: 0%

Fovea: 36 dB



	-2	-4	1	0				
	-4	0	-1	-2	-4	-3		
	-2	-3	-1	0	-1	-1	-1	-2
	-2	1	0	-2	-2	-3	-1	-2
0	0	0	0	-1	-3	-2	-1	
0	-1	1	0	-1	-1	0	0	
	-4	-2	0	-1	0	-1		
	-2	0	-1	-3				




	-2	-4	1	0				
	-4	-1	-1	-3	-4	-3		
	-2	-4	-1	0	-2	-1	-1	-2
	-2	1	-1	-2	-2	-4	-2	-2
0	0	0	0	-2	-4	-2	-1	
0	-1	1	0	-1	-1	0	-1	
	-4	-2	0	-1	0	-1		
	-2	0	-1	-3				

GHT: Within Normal Limits

MD: -1.11 dB
PSD: 1.42 dB

Total Deviation

Pattern Deviation



Ensemble A2
HFAll 750-5590/A12.3

